


Wadia

Prislista 2016





Wadia

DAC/digital pre-amps

INTUITION 01

POWER DAC

Power	350W + 350W @ 4 Ohm
Upsampling	1,536MHz Delat-SigMaster 32bit
DAC	32bit ESS 9018
Frequency res.	3Hz - 45KHz
S/N	113dbA
Jitter	below 1pS RMS
Distortion	< 0,005% THD
7 Digital inputs	USB, Optical, Wadalink, Coax, AES
Analog input	2xRCA
Dimensions	380mm x 380mm x 60mm
Weight	6 Kg

60.000kr



Wadia

DAC/digital pre-amps



di322 DIGITAL AUDIO DECODER

Frequency res.	+/-0,5dB 3Hz - 45KHz -3dB 4Hz - 68KHz (Source dependent)
Distortion	0,002 %
Var. output level	0-4.0Vrms Unbalanced 0-8.0Vrms balanced
S/N	110dB
Dynamic range	100dB
Output ipedance	600 Ohms
Headphone imp.	20 to 600Ohms
Digital input	2x Coax, 2x Optical & USB
Dimensions	(WxHxD)455mm x 86mm x 508mm
Weight	11,4Kg

40.000kr

Wadia

DAC/digital pre-amps

321

DECODING COMPUTER

Frequency res.	+/-0,5dB 3Hz - 45KHz -3dB 4Hz - 68KHz (Source dependent)
Distortion	0,002 %
Var. output level	0-4.0Vrms Unbalanced 0-8.0Vrms balanced
S/N	110dB
Dynamic range	100dB
Output ipedance	600 Ohms
Digital input format	SPDIF (PCM)
Digital inputs	2x Coax, 2x Optical & USB
Dimensions	(WxHxD)455mm x 86mm x 508mm
Weight	11,4 Kg

35.000kr



Wadia

DAC/digital pre-amps



di122 DIGITAL AUDIO DECODER

Frequency res.	+/-0,5dB 20Hz - 20KHz
Distortion	0,005 %
Var. output level	0-4.0Vrms Unbalanced 0-8.0Vrms balanced
S/N	105dB
Dynamic range	98dB
Output ipedance	Less then 100 Ohms
Digital input	2x Coax, 2x Optical & USB
Dimensions	(WxHxD)254mm x 80mm x 356mm
Weight	3,2Kg

20.000kr



a315 DIGITAL STEREO AMPLIFIER

Power	250 watts into 8 Ohm
THD	0,1 %
Dynamic headroom	1dB 8Ohm, 1,6dB 4Ohm
Frequency res.	-0,5dB 20HZ-20KHz -3,0dB 10HZ-70KHz
Input sens.	2,4V Balanced 1,2V Unbalanced
Input impedance	10K Ohms
Voltage gain	29dB
Dimensions	(WxHxD)454mm x 86mm x
Weight	12,2 Kg

40.000kr



Wadia

Amplifiers



a340 DIGITAL MONO AMPLIFIER

Power	400 watts into 8 Ohm
THD	0,1 %
Dynamic headroom	1,7dB 8Ohm, 2,7dB 4Ohm
Frequency res.	-0,5dB 20HZ-20KHz -3,0dB 10HZ-70KHz
Input sens.	4V Balanced 2V Unbalanced
Input impedance	10K Ohms
Voltage gain	29dB
Dimensions	(WxHxD)454mm x 86mm x 508mm
Weight	12 Kg

45.000kr

a102 DIGITAL STEREO AMPLIFIER

Power	50 watts into 8 Ohm
THD	0,2 %
Dynamic headroom	1dB 8Ohm, 1,3dB 4Ohm
Frequency res.	-0,5dB 20HZ-20KHz -3,0dB 10HZ-50KHz
Input sens.	1,4V Balanced 0,7V Unbalanced
Input impedance	15K Ohms
Voltage gain	29dB
Dimensions	(WxHxD)254mm x 80mm x 356mm
Weight	3,9 Kg

20.000kr



Wadia

Amplifiers

Wadia distribueras i Sverige av Septronic AB

www.Septronic.se
tfn: 031-91 57 00
Uggledalsvägen 49
427 40 Billdal

